Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1041	pass transistor and driver circuit	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ _y	ON	2006/06/27 15:29
L2	391	1 and pmos and nmos	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/27 15:21
L3	32	2 and pass transistor.clm. and driver circuit.clm.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/27 15:22
L4	1	pass transistor and driver circuit same data retaining	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/27 15:29
L5	27	pass transistor and driver circuit same (data (retention or storage) or cache)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON-	2006/06/27 15:31
L6	10	pass transistor and driver circuit same (data (retaining retention or storage) or cache)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/27 15:31
L7	28	pass transistor and driver circuit same (data (retaining or retention or storage) or cache)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/27 16:12
L8	1	("6721220").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 16:14
Ĺ9	0	7 and 8	US-PGPUB;	OR	OFF	2006/06/27 16:04
			USPAT; EPO; DERWENT; IBM_TDB		in S.	
L10	1	8 and (pass transistor or driver circuit or (data (retaining or retention or storage) or cache))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/27 16:05

Г	T	F				
L11	1	("20020070409").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 16:12
L12	1627	((257/204,206,208) or (365/174)). CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 16:16
L13	44394	gate adj array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/27 16:16
L14	60	L13 and nmos near3 pmos and nmos near3 series and pmos near3 series	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2006/06/27 16:16
			DERWENT; IBM_TDB	* (
L15	60	L14 and series	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/27 16:16
L16	1501	L13 and nmos and pmos	US-PGPUB; USPAT;	OR	OFF	2006/06/27 16:16
-			USOCR; EPO; JPO; DERWENT; IBM_TDB			
L17	895	L16 and series	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/27 16:16
L18	44394	gate adj array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/27, 16:16
L19	4	(("5187483") or ("5237184") or ("6559700") or ("6636073")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 16:16
L20	52432	logic with (driving drive driven)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/27 16:16

	Τ		r	T -	r	
L21	33383	data near3 (retain retaining retention retained)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/06/27 16:16
L22	23	data and Yonemaru.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2006/06/27 16:16
		* * * * * * * * * * * * * * * * * * * *	IBM_TDB			
L23	7	yonemaru.in. and series	US-PGPUB; USPAT	OR	OFF	2006/06/27 16:16
L24	102	cmos near3 pass adj transistor and series	US-PGPUB; USPAT	OR	OFF	2006/06/27 16:16
L25	2	(("5581202") or ("6621306")).PN.	US-PGPUB; USPAT	OR	OFF	2006/06/27 16:16
L26	2	L25 and pmos and nmos	US-PGPUB; USPAT	OR	OFF	2006/06/27 16:16
L27	3	(US-20040140483-\$ or US-20020053936-\$ or US-20020070409-\$).did.	US-PGPUB	OR	OFF	2006/06/27 16:16
L28	2	L27 and data and (driver driving buffer buffering) and logic	US-PGPUB; USPAT; EPO;	OR	ON	2006/06/27 16:16
			DERWENT; IBM_TDB	· · · · · · · · · · · · · · · · · · ·		
L29	2	(("5581202") or ("5872716")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 16:16
L30	665	L13 and soi	US-PGPUB;	OR	ON	2006/06/27 16:16
.3.			USPAT; EPO; JPO; DERWENT; IBM_TDB			
L31	8320	logic adj circuit with (driving drive driven)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/27 16:16
L32	3338	logic adj circuit near3 (driving drive driven)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/27 16:16

L33	12	"571270"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/06/27 16:16
L34	1	("20020057111").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 16:16